
teenage engineering

eleven years ago

we made something that did one job.


it did it well.



this is the next one.

OP-X


ONE CONTROL




TWELVE KEYS



one knob.


24 DETENTS

twenty-four keys.



C1 → B2, VELOCITY SENSING, 0.4 MM TRAVEL



no screen.

we tried a screen.


we took it out.

DIMENSIONS

252

× 102 × 13.6 MM

PLAN AND SIDE, 1:10.6



MASS BUDGET



ENCLOSURE
210 G

CELLS
78 G

KEYBED
62 G

BOARD
48 G

MASS

398

GRAMS, WITH CELLS


AGAINST A TWENTY-FOUR HOUR
DAY



ENDURANCE


16

HOURS, CONTINUOUS



aluminium.

one piece.



13.6 MM AT THE THICKEST POINT




it records.

it does not sync.

it does not update.

it does not need you.


LINE OUT
LINE IN
SYNC
MIDI
USB-C
CELLS

TRACKS


8

SIMULTANEOUS

EIGHT LANES, NO BOUNCING



65,536 STEPS — DRAWN AT SIXTEEN




DEPTH

16

BIT

SAMPLE POINTS, ONE CYCLE



RATE

48

KILOHERTZ

enough.

OPX-100
ENCLOSURE, UPPER

OPX-101
ENCLOSURE, LOWER

OPX-210
KEYBED ASSEMBLY

OPX-214
KEY, SINGLE

OPX-330
ENCODER, DETENTED

OPX-331
ENCODER CAP

OPX-450
MAIN BOARD

OPX-455
CONVERTER, A/D

OPX-600
CELL, 18650

OPX-610
CELL DOOR

OPX-700
STRAP LUG

OPX-999
MANUAL, PRINTED

assembled in sweden.

ANODISED



GRAPHITE



ORANGE


BONE

PRICE


$599

USD, DIRECT

ROUTE TO YOU



TWELVE MONTHS FROM NOW



SHIPPING

MARCH

NEXT YEAR


it does one thing.

you already know what it is.

FIG. 6 — AS SHIPPED



OP-X



that's it.

This is an unsolicited concept deck. It is not affiliated with, commissioned by, or endorsed by Teenage Engineering. The OP–X does not exist; every specification, part code and price is invented for the purpose of demonstrating presentation design.

Set in Neue Haas Unica. Product names and part codes in ITC Avant Garde Gothic.